

VAF-W

Wall Mounted Axial Flow Fan




MOTOR INSULATION CLASS	F CLASS
MOTOR PROTECTION CLASS	IP 55
MOTOR EFFICIENCY CLASS	-
MOTOR ENCLOSURE TYPE	TEFC
MOTOR BRAND	GAMAK-VOLT-WAT
BODY MATERIAL	GALVANIZED SHEET METAL
BODY COATING	ELECTRO-STATIC POWDER COATING
IMPELLER MATERIAL	GALVANIZED SHEET METAL
DUTY CYCLE	IEC Duty Cycle-S1
WORKING TEMPERATURE	-20 - +50 °C
STANDARDS	IEC-60335-2-80, ISO 1940-1







A wall-mounted axial fan is a type of mechanical fan that is designed to move air parallel to its shaft or axis. These fans are commonly used in various applications to provide ventilation, cooling, or air circulation. When choosing a wall-mounted axial fan, it's important to consider factors like the size of the space, the required airflow rate, noise levels, and any specific environmental conditions in which the fan will operate. Proper installation and maintenance are also crucial to ensure the fan's optimal performance and longevity.

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (r.p.m)	Airflow (m ³ /h)	Sound dB(A)	Weight (kg)
VAF-W 250	220 / 380	50	65/100	0,4/0,62	1450	1200	45	6
VAF-W 300	220 / 380	50	90/130	0,45/0,65	1450	2000	48	7
VAF-W 350	220 / 380	50	160/135	1,05/0,65	1450	3250	53	8,2
VAF-W 400	220 / 380	50	185/150	1,17/0,66	1450	4500	56	9
VAF-W 450	220 / 380	50	200/155	1,1/0,66	1450	5000	60	9,6
VAF-W 500	220 / 380	50	230/160	1,1/0,67	1450	5500	62	11
VAF-W 550	220 / 380	50	220/165	1,07/0,67	1400	6000	63	15,3
VAF-W 600	220 / 380	50	235/170	1,15/0,68	2800	8000	65	15,6
VAF-W 250-2K	220 / 380	50	230/150	1/1	2900	2200	61	6,3

DRAWING



Model	A	B	D	L
VAF-W 250	333	275	261	80
VAF-W 300	412	336	307	80
VAF-W 350	465	390	365	90
VAF-W 400	500	420	403	100
VAF-W 450	560	480	462	105
VAF-W 500	630	561	513	110
VAF-W 550	660	585	565	145
VAF-W 600	700	631	612	145
VAF-W 250-2K	333	275	261	80



AXIAL FANS / Wall Mounted Axial Flow Fan

