

VCF

Circular In-line Duct Fans










MOTOR INSULATION CLASS	F CLASS
MOTOR PROTECTION CLASS	IP 44
MOTOR EFFICIENCY CLASS	-
MOTOR ENCLOSURE TYPE	EXTERNAL ROTOR MOTOR
MOTOR BRAND	VOLTVENT
BODY MATERIAL	GALVANIZED SHEET METAL
BODY COATING	NONE
IMPELLER MATERIAL	GALVANIZED SHEET METAL
DUTY CYCLE	IEC Duty Cycle-S1
WORKING TEMPERATURE	-20 - +50 °C
STANDARDS	IEC-60335-2-80, ISO 1940-1

A circular duct fan, also known as a round duct fan, is a type of fan specifically designed for use in circular or cylindrical air duct systems. These fans are commonly used in HVAC (Heating, Ventilation, and Air Conditioning) systems, industrial applications, and other settings where air circulation or ventilation is required through round ductwork.

Model	Voltage (V)	Frequency (Hz)	Power (W)	Speed (r.p.m)	Airflow (m ³ /h)	Sound Pressure dB(A)	Weight (kg)
VCF 100	230	50	80	2600	290	45	2,9
VCF 125	230	50	80	2600	410	45	3,1
VCF 150	230	50	85	2600	700	46	3,3
VCF 160	230	50	85	2600	710	48	3,5
VCF 200	230	50	122	2675	1000	48	5
VCF 250	230	50	145	2685	1120	50	5,5
VCF 315	230	50	210	2615	1750	53	7,1
VCF 355	230	50	380	2480	2200	56	10,1

Model	A	B	C	D
VCF 100	100	208	246	290
VCF 125	125	208	246	290
VCF 150	150	196	270	320
VCF 160	160	196	270	320
VCF 200	200	225	333	380
VCF 250	250	234	331	380
VCF 315	315	283	401	450
VCF 355	355	225	401	450





DUCT FANS / Circular In-line Duct Fans

