

VBRF

Bathroom Extractor Fan




MOTOR INSULATION CLASS	F CLASS
MOTOR PROTECTION CLASS	IP 25
MOTOR EFFICIENCY CLASS	IE2
MOTOR ENCLOSURE TYPE	EXTERNAL ROTOR MOTOR
MOTOR BRAND	-
BODY MATERIAL	ABS PLASTIC
BODY COATING	ABS PLASTIC
IMPELLER MATERIAL	ABS PLASTIC
DUTY CYCLE	IEC Duty Cycle-S1
WORKING TEMPERATURE	-20 - +50 °C
STANDARDS	IEC-60335-2-80, ISO 1940-1

A bathroom fan, also known as an exhaust fan or ventilation fan, is a device designed to remove moisture, odors, and impure air from a bathroom. These fans play a crucial role in maintaining good indoor air quality and preventing issues such as mold and mildew growth due to excess humidity.




Bathroom fans are a valuable addition to any bathroom, contributing to a more comfortable and healthy living environment. They are available in various styles and sizes, making it possible to choose a fan that suits the specific needs and aesthetics of your bathroom.

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (r.p.m)	Airflow (m ³ /h)	Sound Pressure dB(A)	Weight (kg)
VBRF 100	230	50	14	0,10	2800	97	35	0,5
VBRF 125	230	50	16	0,13	2800	183	36	0,6
VBRF 150	230	50	16	0,32	2800	290	38	1

DRAWING



Model	A	B	C	D	E	F
VBRF 100	150	135	55	100	22	7
VBRF 120	175	160	61	125	23	8,5
VBRF 150	200	185	62	150	24	10



VBDF

Inline Bathroom Extractor Fan





MOTOR INSULATION CLASS	F CLASS
MOTOR PROTECTION CLASS	IP 25
MOTOR EFFICIENCY CLASS	IE2
MOTOR ENCLOSURE TYPE	EXTERNAL ROTOR MOTOR
MOTOR BRAND	-
BODY MATERIAL	ABS PLASTIC
BODY COATING	ABS PLASTIC
IMPELLER MATERIAL	ABS PLASTIC
DUTY CYCLE	IEC Duty Cycle-S1
WORKING TEMPERATURE	-20 - +50 °C
STANDARDS	IEC-60335-2-80, ISO 1940-1

A bathroom fan, also known as an exhaust fan or ventilation fan, is a device designed to remove moisture, odors, and impure air from a bathroom. These fans play a crucial role in maintaining good indoor air quality and preventing issues such as mold and mildew growth due to excess humidity.

Bathroom fans are a valuable addition to any bathroom, contributing to a more comfortable and healthy living environment. They are available in various styles and sizes, making it possible to choose a fan that suits the specific needs and aesthetics of your bathroom.

Model	Voltage (V)	Frequency (Hz)	Power (W)	Current (A)	Speed (r.p.m)	Airflow (m ³ /h)	Sound Pressure dB(A)	Weight (kg)
VBDF 100	230	50	14	0,10	2800	107	35	0,5
VBDF 125	230	50	18	0,13	2800	190	36	0,6
VBDF 150	230	50	22	0,32	2800	300	38	1

DRAWING



Model	A	B	C	D
VBDF 100	100	103	80	30
VBDF 120	125	128	87	30
VBDF 150	150	153	101	35

